

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Trade name : Durable DL110HB  
 Other means of identification : MAGDHBK05

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : For use in Photocentric Daylight Printers

#### 1.3. Supplier

##### Supplier

Photocentric Ltd  
 Titan House  
 20 Titan Drive  
 Peterborough, PE1 5XN - United Kingdom  
 T +44 (0) 1733 349937 (UK Office hours only)  
[info@photocentric.co.uk](mailto:info@photocentric.co.uk) - <https://photocentricgroup.com/>

##### Distributor

Photocentric Inc  
 855 N. 107th Ave  
 Suite A110  
 Avondale, Arizona 85323 - United States  
 T 006235813220 x1009 (USA Office hours only)  
[customerservice@photocentricusa.com](mailto:customerservice@photocentricusa.com) - <https://photocentricgroup.com/>

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 1733 349937 (UK Office hours only)  
 006235813220 x1009 (USA Office hours only)  
 Transport Emergencies for US & CANADA: For Hazardous Materials [or Dangerous Goods]  
 Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC 1-800-424-9300 / +1 703-527-3887 CCN 992854

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Acute toxicity (oral), Category 4 : H302 Harmful if swallowed.

Full text of H-statements: see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Warning  
 Hazard statements (GHS US) : H302 - Harmful if swallowed.  
 Precautionary statements (GHS US) : P264 - Wash hands thoroughly after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P301+P312 - If swallowed: Call a doctor if you feel unwell.  
 P330 - Rinse mouth.  
 P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

# Durable DL110HB

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	Conc. (% w/w)	GHS US classification
Proprietary (Monomer)*	(CAS-No.) Trade Secret	25 – 50	Acute Tox. 4 (Oral), H302
Proprietary (Triacrylate)*	(CAS-No.) Trade Secret	8 – 10	STOT RE 2, H373 Aquatic Acute 3, H402

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First-aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

- Potential adverse human health effects and symptoms : Harmful if swallowed. Harmful in contact with skin. Irritation: severely irritant to eyes. Irritation: may cause irritation to the respiratory system.
- Symptoms/effects : May be harmful in contact with skin. May be harmful if swallowed and enters airways.
- Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
- Symptoms/effects after skin contact : May be harmful in contact with skin.
- Symptoms/effects after ingestion : May be harmful if swallowed. May cause irritation to the digestive tract.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Specific hazards arising from the chemical

- Fire hazard : In case of fire, irritating fumes come free.
- Explosion hazard : No direct explosion hazard.
- Reactivity in case of fire : Corrosive vapours.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

- Precautionary measures fire : Evacuate area. Keep container closed when not in use. Keep cool. Protect from sunlight. This product is not to be used under conditions of poor ventilation.
- Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection. In case of fire: stop leak if safe to do so. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. Use water spray or fog for cooling exposed containers.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : High temperature decomposition products are harmful by inhalation.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Avoid contact with skin and eyes. Evacuate area. Absorb spillage to prevent material damage. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

# Durable DL110HB

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.1.1. For non-emergency personnel

- Protective equipment : Wear recommended personal protective equipment.
- Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. See section 8 of the SDS for more information on personal protective equipment.

### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Evacuate unnecessary personnel. Ventilate area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas.

### 6.3. Methods and material for containment and cleaning up

- For containment : For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Take up liquid spill into absorbent material. This material and its container must be disposed of in a safe way, and as per local legislation. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin, eyes and clothing. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment.
- Handling temperature : 10 – 50 °C
- Hygiene measures : Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ensure adequate ventilation, especially in confined areas. Store in a well-ventilated place. Keep container tightly closed.
- Storage conditions : Store in a well-ventilated place. Keep cool. Store locked up. Store in a well-ventilated place. Keep cool.
- Incompatible materials : Direct sunlight.
- Storage temperature : < 25 °C
- Storage area : Store in a well-ventilated place.
- Special rules on packaging : Store in a closed container.
- Packaging materials : Do not store in corrodable metal. Store always product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>Durable DL110HB</b>
No additional information available
<b>Proprietary (Monomer)</b>
No additional information available
<b>Proprietary (Triacrylate)</b>
No additional information available

# Durable DL110HB

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.  
Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment. Safety glasses. Gloves.

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



#### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid  
Appearance : Liquid.  
Colour : Black  
Odour : characteristic  
Odour threshold : No data available  
pH : No data available  
Melting point : Not applicable  
Freezing point : No data available  
Boiling point : No data available  
Flash point : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Flammability (solid, gas) : Not applicable.  
Vapour pressure : No data available  
Relative vapour density at 20°C : No data available  
Relative density : No data available  
Solubility : No data available  
Partition coefficient n-octanol/water (Log Pow) : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available  
Explosive limits : No data available  
Explosive properties : No data available  
Oxidising properties : No data available

# Durable DL110HB

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions of use.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

May be corrosive to metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

ATE US (oral)	846.716 mg/kg bodyweight
<b>Proprietary (Monomer)</b>	
LD50 oral rat	300 – 2000 mg/kg bodyweight OECD Guideline 423
LD50 dermal rat	> 2000 mg/kg bodyweight OECD Guideline 423
ATE US (oral)	300 mg/kg bodyweight

<b>Proprietary (Triacrylate)</b>	
LD50 oral rat	No mortality/Rat: 2.000 mg/kg (Method: OECD Test Guideline 423)

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Data not validated  
Based on available data, the classification criteria are not met

Reproductive toxicity : Not classified

<b>Proprietary (Triacrylate)</b>	
LOAEL (animal/male, F0/P)	100 mg/kg (Method: OECD Test Guideline 422, Rat, 28 d)
NOAEL (animal/male, F0/P)	50 mg/kg bodyweight NOAEL ( Parental toxicity ) (Method: OECD Test Guideline 422, Rat, By oral route)
NOAEL (animal/female, F0/P)	> 200 mg/kg bodyweight NOAEL ( fertility ) (Method: OECD Test Guideline 422, Rat, By oral route)
NOAEL (animal/male, F1)	> 200 mg/kg NOAEL (developmental toxicity) (Method: OECD Test Guideline 422, Rat, By oral route)

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

<b>Proprietary (Triacrylate)</b>	
LOAEL (oral, rat, 90 days)	100 mg/kg bodyweight/day (Method: OECD Test Guideline 422, Rat, 28 d)

# Durable DL110HB

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proprietary (Triacrylate)	
NOAEL (oral, rat, 90 days)	50 mg/kg bodyweight/day By oral route: Local irritation, NOAEL (Method: OECD Test Guideline 422, Rat, 28 d)
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential adverse human health effects and symptoms	: Harmful if swallowed. Harmful in contact with skin. Irritation: severely irritant to eyes. Irritation: may cause irritation to the respiratory system.
Symptoms/effects	: May be harmful in contact with skin. May be harmful if swallowed and enters airways.
Symptoms/effects after inhalation	: Inhalation may cause irritation (cough, short breathing, difficulty in breathing).
Symptoms/effects after skin contact	: May be harmful in contact with skin.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause irritation to the digestive tract.
Other information	: Likely routes of exposure: ingestion, skin and eye.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: Harmful to aquatic life.
Ecology - water	: Harmful to aquatic life with long lasting effects.

Proprietary (Monomer)	
LC50 fish 1	120 mg/l Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, static)
EC50 Daphnia 1	> 120 mg/l Daphnia magna (OECD Guideline 202, part 1, static)

Proprietary (Triacrylate)	
ErC50 (other aquatic plants)	12.9 mg/l ErC10, 72 h (Pseudokirchneriella subcapitata (green algae)) : (Method: OECD Test Guideline 201)
NOEC (chronic)	≥ 100 mg/l NOEC, 14 d (Activated sludge)(Respiration inhibition)

### 12.2. Persistence and degradability

Proprietary (Monomer)	
Persistence and degradability	Product is practically not biodegradable.

Proprietary (Triacrylate)	
Biodegradation	14.5 – 19.7 % after 28 d (Method: OECD Test Guideline 301 F)

### 12.3. Bioaccumulative potential

Proprietary (Monomer)	
Partition coefficient n-octanol/water (Log Pow)	0.8

### 12.4. Mobility in soil

Proprietary (Triacrylate)	
Partition coefficient n-octanol/water (Log Koc)	2.79 ( Method: calculated ) Absorption / desorption:

### 12.5. Other adverse effects

Other information	: Avoid release to the environment.
-------------------	-------------------------------------

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional legislation (waste)	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Avoid release to the environment. Comply with applicable regulations for solid waste disposal. Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk. Consult an expert on waste disposal or treatment.
Ecology - waste materials	: Avoid release to the environment.

# Durable DL110HB

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not applicable

#### Transportation of Dangerous Goods

Not applicable

#### Transport by sea

Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Tris(2-hydroxyethyl) Isocyanurate Triacrylate ; Tricyclodecane dimethanol Diacrylate), 9, III, MARINE POLLUTANT
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 L

#### Air transport

Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Tris(2-hydroxyethyl) Isocyanurate Triacrylate ; Tricyclodecane dimethanol Diacrylate), 9, III
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	: 9 - Miscellaneous Dangerous Substances and Articles
Packing group (IATA)	: III - Low danger

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### Durable DL110HB

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

##### Proprietary (Monomer)

EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance. S - S - indicates a substance that is identified in a final Significant New Use Rule.
--------------------------	---

##### Proprietary (Triacrylate)

EPA TSCA Regulatory Flag	PMN - PMN - indicates a commenced PMN substance.
--------------------------	--

#### 15.2. International regulations

##### CANADA

##### Proprietary (Monomer)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

##### Proprietary (Triacrylate)

Listed on the Canadian NDSL (Non-Domestic Substances List)

##### EU-Regulations

No additional information available

##### National regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

# Durable DL110HB

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 04/25/2023

Full text of H-statements:

H302	Harmful if swallowed.
H373	May cause damage to organs through prolonged or repeated exposure.
H402	Harmful to aquatic life

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*