

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Trade name : Flexible UV160TR  
 Other means of identification : DLPFLT01, DLPFLT500

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : For use in UV 3D Printers

#### 1.3. Supplier

##### Supplier

Photocentric Ltd  
 Titan House  
 20 Titan Drive  
 Peterborough, PE1 5XN - United Kingdom  
 T +44 (0) 1733 349937 (UK Office hours only)  
[info@photocentric.co.uk](mailto:info@photocentric.co.uk) - <https://photocentricgroup.com/>

##### Distributor

Photocentric Inc  
 855 N. 107th Ave  
 Suite A110  
 Avondale, Arizona 85323 - United States  
 T 006235813220 x1009 (USA Office hours only)  
[customerservice@photocentricusa.com](mailto:customerservice@photocentricusa.com) - <https://photocentricgroup.com/>

#### 1.4. Emergency telephone number

Emergency number : +44 (0) 1733 349937 (UK Office hours only)  
 006235813220 x1009 (USA Office hours only)  
 Transport Emergencies for US & CANADA: For Hazardous Materials [or Dangerous Goods]  
 Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC 1-800-424-9300 / +1 703-527-3887 CCN 992854

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Acute toxicity (oral), Category 4 Harmful if swallowed.

#### 2.2. GHS Label elements, including precautionary statements

##### GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Warning

Hazard statements (GHS US) :

Harmful if swallowed.

Precautionary statements (GHS US) :

Wash hands thoroughly after handling.  
 Do not eat, drink or smoke when using this product.  
 If swallowed: Call a doctor if you feel unwell.  
 Rinse mouth.  
 Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation, a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : None under normal conditions.

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

# Flexible UV160TR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	GHS US classification
Proprietary (Monomer)*	(CAS-No.) Trade Secret	25 – 50	Acute Tox. 4 (Oral), H302

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell.
- First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If swallowed, seek medical advice immediately and show this container or label. Rinse mouth out with water. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects (acute and delayed)

- Potential adverse human health effects and symptoms : Harmful if swallowed. Harmful in contact with skin. Irritation: severely irritant to eyes. Irritation: may cause irritation to the respiratory system.
- Symptoms/effects : May be harmful in contact with skin.
- Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing). May cause respiratory irritation.
- Symptoms/effects after skin contact : May be harmful in contact with skin. May cause an allergic skin reaction.
- Symptoms/effects after eye contact : May cause eye irritation. May cause severe irritation.
- Symptoms/effects after ingestion : May be harmful if swallowed. May cause irritation to the digestive tract.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically. In all cases of doubt, or when symptoms persist, seek medical attention. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

- Fire hazard : In case of fire, corrosive gases come free. In case of fire and/or explosion do not breathe fumes.
- Explosion hazard : No data available on direct explosion hazard.
- Reactivity in case of fire : Corrosive vapours.
- Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

- Precautionary measures fire : Keep away from combustible materials. Keep container closed when not in use. Store in tightly closed, properly ventilated containers away from heat, sparks, open flame.
- Firefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection. Prevent fire fighting water from entering the environment.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Other information : High temperature decomposition products are harmful by inhalation.

# Flexible UV160TR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Avoid contact with skin and eyes. Clean up any spills as soon as possible, using an absorbent material to collect it. Do not handle until all safety precautions have been read and understood. Evacuate area.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.  
Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. See section 8 of the SDS for more information on personal protective equipment.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Use self-contained breathing apparatus and chemically protective clothing. Wear recommended personal protective equipment. For further information refer to section 8: "Exposure controls/personal protection".  
Emergency procedures : Evacuate unnecessary personnel. Ventilate area. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.

#### 6.2. Environmental precautions

Avoid release to the environment. May cause long lasting harmful effects to aquatic life. Prevent liquid from entering sewers, watercourses, underground or low areas.

#### 6.3. Methods and material for containment and cleaning up

For containment : For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.  
Methods for cleaning up : Take up liquid spill into absorbent material. This material and its container must be disposed of in a safe way, and as per local legislation.  
Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.  
Precautions for safe handling : Wear personal protective equipment. Avoid contact with skin, eyes and clothing.  
Handling temperature : 10 – 50 °C  
Hygiene measures : Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly closed.  
Storage temperature : 10 – 50 °C  
Storage area : Store away from heat. Store in a well-ventilated place.  
Packaging materials : Do not store in corrodable metal. Store always product in container of same material as original container.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

<b>Flexible UV160TR</b>
No additional information available
<b>Proprietary (Monomer)</b>
No additional information available

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

# Flexible UV160TR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Wear recommended personal protective equipment. Safety glasses. Gloves.

#### Eye protection:

Safety glasses

#### Personal protective equipment symbol(s):



#### Other information:

Do not eat, drink or smoke when using this product.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: clear
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: 510 (400 – 650) mPa·s @25°C
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions of use.

# Flexible UV160TR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

ATE US (oral)	890.155 mg/kg bodyweight
<b>Proprietary (Monomer)</b>	
LD50 oral rat	300 – 2000 mg/kg bodyweight OECD Guideline 423
LD50 dermal rat	> 2000 mg/kg bodyweight OECD Guideline 423
ATE US (oral)	300 mg/kg bodyweight

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitisation : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified  
Viscosity, kinematic : No data available

Potential adverse human health effects and symptoms : Harmful if swallowed. Harmful in contact with skin. Irritation: severely irritant to eyes. Irritation: may cause irritation to the respiratory system.

Symptoms/effects : May be harmful in contact with skin.

Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing). May cause respiratory irritation.

Symptoms/effects after skin contact : May be harmful in contact with skin. May cause an allergic skin reaction.

Symptoms/effects after eye contact : May cause eye irritation. May cause severe irritation.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause irritation to the digestive tract.

Other information : Likely routes of exposure: ingestion, skin and eye.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

<b>Proprietary (Monomer)</b>	
LC50 fish 1	120 mg/l Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, static)
EC50 Daphnia 1	> 120 mg/l Daphnia magna (OECD Guideline 202, part 1, static)

### 12.2. Persistence and degradability

<b>Proprietary (Monomer)</b>	
Persistence and degradability	Product is practically not biodegradable.

### 12.3. Bioaccumulative potential

# Flexible UV160TR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Proprietary (Monomer)

Partition coefficient n-octanol/water (Log Pow)	0.8
---	-----

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Disposal methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Avoid release to the environment. Comply with applicable regulations for solid waste disposal. Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Clean up even minor leaks or spills if possible without unnecessary risk. Consult an expert on waste disposal or treatment.
Ecology - waste materials	: Avoid release to the environment.

### SECTION 14: Transport information

#### Department of Transportation (DOT)

In accordance with DOT

Not applicable

#### Transportation of Dangerous Goods

Not applicable

#### Transport by sea

Transport document description (IMDG)	: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (IDA ; 1,2-Cyclohexanedicarboxylic acid, diisononyl ester), 9, III, MARINE POLLUTANT
UN-No. (IMDG)	: 3082
Proper Shipping Name (IMDG)	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Class (IMDG)	: 9 - Miscellaneous dangerous substances and articles
Packing group (IMDG)	: III - substances presenting low danger
Limited quantities (IMDG)	: 5 L

#### Air transport

Transport document description (IATA)	: UN 3082 Environmentally hazardous substance, liquid, n.o.s. (IDA ; 1,2-Cyclohexanedicarboxylic acid, diisononyl ester), 9, III
UN-No. (IATA)	: 3082
Proper Shipping Name (IATA)	: Environmentally hazardous substance, liquid, n.o.s.
Class (IATA)	: 9 - Miscellaneous Dangerous Substances and Articles
Packing group (IATA)	: III - Low danger

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### Flexible UV160TR

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

# Flexible UV160TR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Proprietary (Monomer)

EPA TSCA Regulatory Flag

PMN - PMN - indicates a commenced PMN substance.

S - S - indicates a substance that is identified in a final Significant New Use Rule.

## 15.2. International regulations

### CANADA

#### Proprietary (Monomer)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

### EU-Regulations

No additional information available

### National regulations

No additional information available

## 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 04/27/2023

Full text of H-statements:

H302

Harmful if swallowed.

Abbreviations and acronyms:

# Flexible UV160TR

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*